

ToLEDo Superia T5

Electronic ballast compatibility list

Sylvania model	Length (mm)	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)	Emergency (Y or N)
ToLEDo SUPERIA T5 HE 5FT 2600LM/2800LM (35W korvaava)	1449	OSRAM	QT-FIT5 1x14-35	1	Y	N
	1449	OSRAM	QT-FIT5 2x14-35	2	Y	N
	1449	OSRAM	QTP5 1x14-35	1	Y	Y
	1449	OSRAM	QTP5 2x14-35	2	Y	Y
	1449	OSRAM	QTi 1x35/49/80 GII	1	Y	Y
	1449	OSRAM	QTi 2x35/49/80 GII	2	Y	Y
	1449	OSRAM	QTi 1x28/54/35/49 GII	1	Y	Y
	1449	OSRAM	QTi 2x28/54/35/49 GII	2	Y	Y
	1449	PHILIPS	HF-P 1 14-35 TL5 HE III IDC	1	Y	Y
	1449	PHILIPS	HF-P 2 14-35 TL5 HE III IDC	2	Y	Y
	1449	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	Y	Y
	1449	PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y	Y
	1449	PHILIPS	HF-S 1 28-35 TL5 II	1	Y	N
	1449	PHILIPS	HF-S 1 28-35 TL5 II	1	Y	N
	1449	TRIDONIC	PC 1x14-35 T5 PRO Ip	1	Y	N
	1449	TRIDONIC	PC 2x14-35 T5 PRO Ip	2	Y	N
	1449	TRIDONIC	PC 1x14-35 T5 TOP Ip	1	Y	N
	1449	TRIDONIC	PC 2/14-35/49/54 T5 PRO-M Ip	2	Y	N
	1449	TRIDONIC	PC 2x35 T5 TOP Ip	2	Y	Y
	1449	TRIDONIC	PC 1/14-35/49/54 T5 PRO-M Ip	1	Y	N
	1449	TRIDONIC	PC 1/14-35/49/80 T5 PRO-M Ip	1	Y	N
	1449	b.a.g	BCS35.1FX-11/220-240	1	Y	N
	1449	b.a.g	BCS35.2FX-11/220-240	2	Y	N
	1449	HELVAR	EL1x14-35ngn5	1	Y	N
	1449	HELVAR	EL2x14-35ngn5	2	Y	N
	1449	VOSSLOH SCHWABE	Type Elxc 235.857	2	Y	Y
	1449	VOSSLOH SCHWABE	Type ELXc 180.634	1	Y	N
	1449	VOSSLOH SCHWABE	Type ELXc 280.637	2	Y	N
	1449	eIT	BE-214-35-T5-S	2	Y	N
	1449	OSRAM	QTi DALI 1x35/49/80 DIM	1	N	N
	1449	OSRAM	QTi DALI 2x35/49/80 DIM	2	N	N
	1449	OSRAM	QTi DALI 2x35/49 DIM	2	N	N
	1449	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	N	N
	1449	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	N	N
ToLEDo SUPERIA T5 HO 5FT 4050LM/4200LM (49W korvaava)	1449	OSRAM	QTi 1x28/54/35/49 GII	1	Y	Y
	1449	OSRAM	QTi 1x35/49/80 GII	1	Y	N
	1449	OSRAM	QT-FIT5 1x49	1	Y	N
	1449	OSRAM	QTP5 1x49	1	Y	Y
	1449	OSRAM	QTP5 2x49	2	Y	Y
	1449	OSRAM	QT-FIT5 2x49	2	Y	N
	1449	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	Y	Y
	1449	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	Y	Y
	1449	PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y	Y
	1449	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	Y	Y
	1449	PHILIPS	HF-P 149 TL5 HO III IDC	1	Y	Y
	1449	PHILIPS	HF-P 249 TL5 HO III IDC	2	Y	Y
	1449	PHILIPS	HF-P xt 249 TL5 EII 220-240	2	Y	Y
	1449	PHILIPS	HF-S 149 TL5 II	1	Y	Y
	1449	PHILIPS	HF-S 249 TL5 II	2	Y	Y
	1449	TRIDONIC	PC 1x49 T5 TOP Ip	1	Y	N
	1449	TRIDONIC	PC 1x49 T5 PRO Ip	1	Y	N
	1449	TRIDONIC	PC 2x49 T5 TOP Ip	2	Y	N
	1449	TRIDONIC	PC 2x49 T5 PRO Ip	2	Y	N
	1449	b.a.g	BCS49.1FX-11/220-240	1	Y	N
	1449	OSRAM	QTi 2x28/54/35/49 GII	2	N	N
	1449	OSRAM	QTi 2x35/49/80 GII	2	N	N
	1449	OSRAM	QTi DALI 2x35/49 DIM	2	N	N
	1449	OSRAM	QTi DALI 2x35/49/80 DIM	2	N	N
	1449	OSRAM	QTi DALI 1x35/49/80 DIM	1	N	N
	1449	TRIDONIC	PC 1/14-35/49/54 T5 PRO-M Ip	1	N	N

ToLEDo Superia T5

Electronic ballast compatibility list

Sylvania model	Length (mm)	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)	Emergency (Y or N)
	1449	TRIDONIC	PC 1/14-35/49/80 T5 PRO-M lp	1	N	N
	1449	TRIDONIC	PC 2/14-35/49/54 T5 PRO-M lp	2	N	N
	1449	b.a.g	BCS49.2FX-11/220-240	2	N	N
	1449	b.a.g	MLS80.1FR-11/220-240	1	N	N
	1449	b.a.g	MLS80.1/54.2FR-11/220-240	1	N	N
	1449	PHILIPS	HF-P 149 T5 HO EII 220-240	M3	Y	N
	1449	VOSSLOH SCHWABE	Type ELXc 249.859	M3	Y	N
ToLEDo SUPERIA T5 HO 5FT 5150LM/5600LM (80W korvaava)	1449	OSRAM	QTP5 1x80	1	Y	Y
	1449	OSRAM	QTi 1x35/49/80 GII	1	Y	Y
	1449	OSRAM	QTi 2x35/49/80 GII	2	Y	Y
	1449	OSRAM	QT-FQ 2x80	2	Y	N
	1449	PHILIPS	HF-P 1 80 TL5/PL-L III IDC	1	Y	N
	1449	PHILIPS	HF-S 1 80 TL5/PL-L II	1	Y	N
	1449	PHILIPS	HF-P 2 80 TL5/PL-L III IDC	2	Y	N
	1449	TRIDONIC	PC 1x80 T5 PRO lp	1	Y	Y
	1449	TRIDONIC	PC 2x80 T5 PRO lp	2	Y	Y
	1449	b.a.g	MLS80.1FR-11/220-240	1	Y	N
	1449	b.a.g	MLS80.1/54.2FR-11/220-240	1	Y	N
	1449	b.a.g	BCS80.2FX-11/220-240	2	Y	N
	1449	Vossloh	Type ELXc 180.634	1	Y	N
	1449	Vossloh	Type ELXc 280.637	2	Y	N
	1449	OSRAM	QTi DALI 1x35/49/80 DIM	1	N	N
	1449	OSRAM	QTi DALI 2x35/49/80 DIM	2	N	N
	1449	PHILIPS	HF-P xt 180 TL5 EII 220-240	1	N	N
	1449	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	N	N
	1449	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	N	N
	1449	TRIDONIC	PC 1/14-35/49/80 T5 PRO-M lp	1	N	N
1449	b.a.g	BCS35.2FX-11/220-240	1	N	N	
ToLEDo SUPERIA T5 HE 4FT 2200LM/2400LM (28W korvaava)	1149	OSRAM	QTi 1x28/54/35/49 GII	1	Y	Y
	1149	OSRAM	QTi 2x28/54/35/49 GII	2	Y	Y
	1149	OSRAM	QTP5 1x14-35	1	Y	N
	1149	OSRAM	QTP5 2x14-35	2	Y	N
	1149	OSRAM	QT-FIT5 1x14-35	1	Y	N
	1149	OSRAM	QT-FIT5 2x14-35	2	Y	N
	1149	PHILIPS	HF-P 1 14-35 TL5 HE III IDC	1	Y	Y
	1149	PHILIPS	HF-P 2 14-35 TL5 HE III IDC	2	Y	N
	1149	PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y	Y
	1149	TRIDONIC	PC 1x14-35 T5 PRO lp	1	Y	N
	1149	TRIDONIC	PC 2x14-35 T5 PRO lp	2	Y	N
	1149	TRIDONIC	PC 1x14-35 T5 TOP lp	1	Y	N
	1149	TRIDONIC	PC 2x14-35 T5 TOP lp	2	Y	N
	1149	TRIDONIC	PC 2/14-35/49/54 T5 PRO-M lp	2	Y	N
	1149	TRIDONIC	PC 1/14-35/49/54 T5 PRO-M lp	1	Y	N
	1149	TRIDONIC	PC 1/14-35/49/80 T5 PRO-M lp	1	Y	N
	1149	HELVAR	EL1x14-35ngn5	1	Y	N
	1149	HELVAR	EL2x14-35ngn5	2	Y	N
	1149	VOSSLOH SCHWABE	Type Elxc 235.857	2	Y	Y
	1149	eIT	BE-214-35-T5-S	2	Y	N
	1149	b.a.g	BCS35.1FX-11/220-240	1	Y	N
	1149	b.a.g	BCS35.2FX-11/220-240	2	Y	N
	1149	OSRAM	QTz5 1x28/220-240	1	N	N
	1149	OSRAM	QTz5 2x28/220-240	2	N	N
	1149	OSRAM	QTi DALI 1x28/54 DIM	1	N	N
	1149	OSRAM	QTi DALI 2x28/54 DIM	2	N	N
	1149	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	N	N
	1149	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	N	N
	1149	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	N	N
	1149	TRIDONIC	PC 1x28 T5 TEC lp	1	N	N
	1149	TRIDONIC	PC 2x28 T5 TEC lp	2	N	N
	1149	OSRAM	QT-FIT 5/8 1x54-58	1	Y	N

ToLEDo Superia T5

Electronic ballast compatibility list

Sylvania model	Length (mm)	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)	Emergency (Y or N)
ToLEDo SUPERIA T5 HO 4FT 3700LM/4000LM (54W korvaava)	1149	OSRAM	QTi 1x28/54/35/49 GII	1	Y	N
	1149	OSRAM	QTi 2x28/54/35/49 GII	2	Y	N
	1149	OSRAM	QTP-OPTIMAL 1x54-58	1	Y	Y
	1149	PHILIPS	HF-P 154/155 TL5 HO/PL-L III IDC	1	Y	Y
	1149	PHILIPS	HF-P 254/255 TL5 HO/PL-L III IDC	2	Y	Y
	1149	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	Y	N
	1149	PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y	N
	1149	TRIDONIC	PC 1x54 T5 PRO lp	1	Y	Y
	1149	TRIDONIC	PC 2x54 T5 PRO lp	2	Y	N
	1149	TRIDONIC	PC 1x54 T5 TOP lp	1	Y	Y
	1149	b.a.g	BCS54.1FR-01/220-240	1	Y	N
	1149	b.a.g	MLS80.1FR-11/220-240	1	Y	N
	1149	b.a.g	MLS80.1/54.2FR-11/220-240	1	Y	N
	1149	b.a.g	MLS80.1/54.2FR-11/220-240	2	Y	N
	1149	OSRAM	QTi DALI 2x28/54 DIM	2	N	N
	1149	OSRAM	QTi DALI 1x28/54 DIM	1	N	N
	1149	OSRAM	QT-FIT 5/8 2x54-58	2	N	N
	1149	OSRAM	QTP-OPTIMAL 2x54-58	2	N	N
	1149	PHILIPS	HF-S 154 TL5 II	1	N	N
	1149	PHILIPS	HF-S 254 TL5 II	2	N	N
1149	TRIDONIC	PC 2x54 T5 TOP lp	2	N	N	