

ToLEDo Superia T8 Electronic

Electronic ballast compatibility list

Sylvania model	Length	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)
ToLEDo SUPERIA T8 ECG 2FT 1050LM/1100LM (18W korvaava)	600mm	OSRAM	QT-FIT 5/8 2x18-39	2	Y
		OSRAM	QTP-OPTIMAL 2x18-40	2	Y
		OSRAM	QT-FIT8 3x18,4x18	3	Y
		OSRAM	QT-FIT8 3x18,4x18	4	Y
		OSRAM	QT-FIT8 2x18	2	Y
		OSRAM	QTP8 2x18	2	Y
		PHILIPS	HF-P 118 TL-D III IDC	1	Y
		PHILIPS	HF-P 218 TL-D III IDC	2	Y
		PHILIPS	HF-S 218/236 TL-D II	2	Y
		PHILIPS	HF-S 118 TL-D II	1	Y
		PHILIPS	HF-S 118/136 TL-D II	1	Y
		TRIDONIC	PC 1x18 T8 PRO lp	1	Y
		TRIDONIC	PC 2x18 T8 PRO lp	2	Y
		TRIDONIC	PC 2x18 T8 TOP sl	2	Y
TCI	BTL 118	1	Y		
ToLEDo SUPERIA T8 ECG 4FT 2200LM/2400LM (36W korvaava)	1200mm	OSRAM	QTP8 1x36	1	Y
		OSRAM	QTP-OPTIMAL 2x18-40	2	Y
		OSRAM	QT-FIT 5/8 2x18-39	2	Y
		OSRAM	QT-FIT8 2x36	2	Y
		OSRAM	QTP8 2x36	2	Y
		Tridonic	PC 1/36 T8 PRO sc	1	Y
		Philips	HF-S 136 TL-D II	1	Y
		Philips	HF-P 136 TL-D III IDC	1	Y
		Philips	HF-B 136 TLD EII 220-240	1	Y
		Philips	HF-S 118/136 TL-D II	1	Y
		Philips	HF-B 236 TLD EII 220-240	2	Y
		Philips	HF-P 218/236 TL-D III	2	Y
		Philips	HF-P 236 TL-D III IDC	2	Y
		Philips	HF-P 236 TLD EII 220-240	2	Y
		Philips	HF-P 336 TL-D III 220-240	2	Y
		Vossloh	Type ElXc 236.208	2	Y
		Vossloh	Type ELXc 236.217	2	Y
		Vossloh	Type ELXc 236.202	2	Y
		b.a.g	T8 36W/TC-L/F	1	Y
		Helvar	EL2x36/40S	2	Y
TCI	BTL 136	1	Y		
		OSRAM	QT-FIT 5/8 1x54-58	1	Y
		OSRAM	QT-FIT 5/8 2x54-58	2	Y
		OSRAM	QTP-OPTIMAL 2x54-58	2	Y
		OSRAM	QT-FIT8 1x58-70	1	Y
		OSRAM	QT-FIT8 2x58-70	2	Y
		OSRAM	QTP8 2x58	2	Y
		PHILIPS	HF-P 158 TLD EII 220-240	1	Y
		PHILIPS	HF-B 158 TLD EII 220-240	1	Y
		PHILIPS	HF-B 258 TLD EII 220-240	2	Y
		PHILIPS	HF-P 158 TL-D III IDC	1	Y
		PHILIPS	HF-S 158 TL-D II	1	Y
		PHILIPS	HF-S 258 TL-D II	2	Y
		PHILIPS	HF-P 258 TL-D III IDC	2	Y
		b.a.g	BCS58.1FX-11/220-240	1	Y

ToLEDo Superia T8 Electronic

Electronic ballast compatibility list

Sylvania model	Length	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)		
ToLEDo SUPERIA T8 ECG 5FT 2850LM/3100LM (58W korvaava)	1500mm	b.a.g	BCS58.1SR-01/220-240	1	Y		
		b.a.g	BCS58.2FX-11/220-240	2	Y		
		b.a.g	D58.1-23021E	1	Y		
		TRIDONIC	PC 1x58 T8 TOP sl	1	Y		
		TRIDONIC	PC 1x58 T8 PRO lp	1	Y		
		TRIDONIC.ATCO	PC 2/58 T8 PRO	2	Y		
		OSRAM	QT-FIT 5/8 1x54-58	1	Y		
		OSRAM	QT-FIT 5/8 2x54-58	2	Y		
		OSRAM	QTP-OPTIMAL 2x54-58	2	Y		
		OSRAM	QT-FIT8 1x58-70	1	Y		
		OSRAM	QT-FIT8 2x58-70	2	Y		
		OSRAM	QTP8 2x58	2	Y		
		PHILIPS	HF-P 158 TLD EII 220-240	1	Y		
		PHILIPS	HF-B 158 TLD EII 220-240	1	Y		
		PHILIPS	HF-B 258 TLD EII 220-240	2	Y		
		PHILIPS	HF-P 158 TL-D III IDC	1	Y		
		PHILIPS	HF-S 158 TL-D II	1	Y		
		PHILIPS	HF-S 258 TL-D II	2	Y		
		PHILIPS	HF-P 258 TL-D III IDC	2	Y		
		b.a.g	BCS58.1FX-11/220-240	1	Y		
		b.a.g	BCS58.1SR-01/220-240	1	Y		
		b.a.g	BCS58.2FX-11/220-240	2	Y		
		b.a.g	D58.1-23021E	1	Y		
		TRIDONIC	PC 1x58 T8 TOP sl	1	Y		
		TRIDONIC	PC 1x58 T8 PRO lp	1	Y		
		TRIDONIC.ATCO	PC 2/58 T8 PRO	2	Y		
		TCI	BTL 158	1	Y		
		TCI	BTL 258	2	Y		
		ToLEDo SUPERIA T8 ECG 5FT 3300LM/3600LM (58W korvaava)	1500mm	OSRAM	QTP-OPTIMAL 1x54-58	1	Y
				OSRAM	QT-FIT8 1x58-70	1	Y
				OSRAM	QTP8 1x58	1	Y
				OSRAM	QT-FIT 5/8 2x54-58	2	Y
OSRAM	QTP-OPTIMAL 2x54-58			2	Y		
OSRAM	QT-FIT8 2x58-70			2	Y		
OSRAM	QTP8 2x58			2	Y		
Tridonic	PC 1x58 T8 TOP sl			1	Y		
Tridonic	PC 1x58 T8 PRO lp			1	Y		
Tridonic	PC 2x58 T8 PRO sl			2	Y		
Tridonic ATCO	PC 2/58 T8 PRO			2	Y		
Tridonic	PC 1x58 T8 PRO lp			1	Y		
Philips	HF-B 158 TLD EII 220-240			1	Y		
Philips	HF-S 158 TL-D II			1	Y		
Philips	HF-P 158 TLD EII 220-240			1	Y		
Philips	HF-P 258 TL-D III IDC			2	Y		
Philips	HF-S 258 TL-D II			2	Y		
b.a.g	BCS58.1FX-11/220-240			1	Y		
b.a.g	BCS58.1SR-01/220-240			1	Y		
b.a.g	BCS58.2FX-11/220-240			2	Y		
ABB	EVG 2x58 CF			2	Y		
ABB	EVG 2x58 GF ABB			2	Y		

ToLEDo Superia T8 Electronic

Electronic ballast compatibility list

Sylvania model	Length	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)
		Helvar	EL2x58s	2	Y
		VOSSLOH	Type ELXc 258.219	2	Y
		TCI	BTL 158	1	Y