

## ToLEDo Superia T5

### Electronic ballast compatibility list

Sylvania model	Length (mm)	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)
ToLEDo SUPERIA T5 HE 5FT 2600LM/2800LM (35W korvaava)	1449	OSRAM	QT-FIT5 1x14-35	1	Y
	1449	OSRAM	QT-FIT5 2x14-35	2	Y
	1449	OSRAM	QTP5 1x14-35	1	Y
	1449	OSRAM	QTP5 2x14-35	2	Y
	1449	OSRAM	QTi 1x35/49/80 GII	1	Y
	1449	OSRAM	QTi 2x35/49/80 GII	2	Y
	1449	OSRAM	QTi 1x28/54/35/49 GII	1	Y
	1449	OSRAM	QTi 2x28/54/35/49 GII	2	Y
	1449	PHILIPS	HF-P 1 14-35 TL5 HE III IDC	1	Y
	1449	PHILIPS	HF-P 2 14-35 TL5 HE III IDC	2	Y
	1449	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	Y
	1449	PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y
	1449	PHILIPS	HF-S 1 28-35 TL5 II	1	Y
	1449	PHILIPS	HF-S 1 28-35 TL5 II	1	Y
	1449	TRIDONIC	PC 1x14-35 T5 PRO lp	1	Y
	1449	TRIDONIC	PC 2x14-35 T5 PRO lp	2	Y
	1449	TRIDONIC	PC 1x14-35 T5 TOP lp	1	Y
	1449	TRIDONIC	PC 2/14-35/49/54 T5 PRO-M lp	2	Y
	1449	TRIDONIC	PC 2x35 T5 TOP lp	2	Y
	1449	TRIDONIC	PC 1/14-35/49/54 T5 PRO-M lp	1	Y
	1449	TRIDONIC	PC 1/14-35/49/80 T5 PRO-M lp	1	Y
	1449	b.a.g	BCS35.1FX-11/220-240	1	Y
	1449	b.a.g	BCS35.2FX-11/220-240	2	Y
	1449	HELVAR	EL1x14-35ngn5	1	Y
	1449	HELVAR	EL2x14-35ngn5	2	Y
	1449	VOSSLOH SCHWABE	Type ELxc 235.857	2	Y
	1449	VOSSLOH SCHWABE	Type ELXc 180.634	1	Y
	1449	VOSSLOH SCHWABE	Type ELXc 280.637	2	Y
	1449	eIT	BE-214-35-T5-S	2	Y
	1449	OSRAM	QTi DALI 1x35/49/80 DIM	1	N
	1449	OSRAM	QTi DALI 2x35/49/80 DIM	2	N
	1449	OSRAM	QTi DALI 2x35/49 DIM	2	N
	1449	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	N
1449	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	N	
ToLEDo SUPERIA T5 HO 5FT 4050LM/4200LM (49W korvaava)	1449	OSRAM	QTi 1x28/54/35/49 GII	1	Y
	1449	OSRAM	QTi 1x35/49/80 GII	1	Y
	1449	OSRAM	QT-FIT5 1x49	1	Y
	1449	OSRAM	QTP5 1x49	1	Y
	1449	OSRAM	QTP5 2x49	2	Y
	1449	OSRAM	QT-FIT5 2x49	2	Y
	1449	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	Y
	1449	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	Y
	1449	PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y
	1449	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	Y
	1449	PHILIPS	HF-P 149 TL5 HO III IDC	1	Y
	1449	PHILIPS	HF-P 249 TL5 HO III IDC	2	Y
	1449	PHILIPS	HF-P xt 249 TL5 EII 220-240	2	Y
	1449	PHILIPS	HF-S 149 TL5 II	1	Y
	1449	PHILIPS	HF-S 249 TL5 II	2	Y
	1449	TRIDONIC	PC 1x49 T5 TOP lp	1	Y
	1449	TRIDONIC	PC 1x49 T5 PRO lp	1	Y
	1449	TRIDONIC	PC 2x49 T5 TOP lp	2	Y
	1449	TRIDONIC	PC 2x49 T5 PRO lp	2	Y
	1449	b.a.g	BCS49.1FX-11/220-240	1	Y
	1449	OSRAM	QTi 2x28/54/35/49 GII	2	N
	1449	OSRAM	QTi 2x35/49/80 GII	2	N

## ToLEDo Superia T5

### Electronic ballast compatibility list

Sylvania model	Length (mm)	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)	
	1449	OSRAM	QTi DALI 2x35/49 DIM	2	N	
	1449	OSRAM	QTi DALI 2x35/49/80 DIM	2	N	
	1449	OSRAM	QTi DALI 1x35/49/80 DIM	1	N	
	1449	TRIDONIC	PC 1/14-35/49/54 T5 PRO-M lp	1	N	
	1449	TRIDONIC	PC 1/14-35/49/80 T5 PRO-M lp	1	N	
	1449	TRIDONIC	PC 2/14-35/49/54 T5 PRO-M lp	2	N	
	1449	b.a.g	BCS49.2FX-11/220-240	2	N	
	1449	b.a.g	MLS80.1FR-11/220-240	1	N	
	1449	b.a.g	MLS80.1/54.2FR-11/220-240	1	N	
ToLEDo SUPERIA T5 HO 5FT 5150LM/5600LM (80W korvaava)	1449	OSRAM	QTP5 1x80	1	Y	
	1449	OSRAM	QTi 1x35/49/80 GII	1	Y	
	1449	OSRAM	QTi 2x35/49/80 GII	2	Y	
	1449	OSRAM	QT-FQ 2x80	2	Y	
	1449	PHILIPS	HF-P 1 80 TL5/PL-L III IDC	1	Y	
	1449	PHILIPS	HF-S 1 80 TL5/PL-L II	1	Y	
	1449	PHILIPS	HF-P 2 80 TL5/PL-L III IDC	2	Y	
	1449	TRIDONIC	PC 1x80 T5 PRO lp	1	Y	
	1449	TRIDONIC	PC 2x80 T5 PRO lp	2	Y	
	1449	b.a.g	MLS80.1FR-11/220-240	1	Y	
	1449	b.a.g	MLS80.1/54.2FR-11/220-240	1	Y	
	1449	b.a.g	BCS80.2FX-11/220-240	2	Y	
	1449	Vossloh	Type ELXc 180.634	1	Y	
	1449	Vossloh	Type ELXc 280.637	2	Y	
	1449	OSRAM	QTi DALI 1x35/49/80 DIM	1	N	
	1449	OSRAM	QTi DALI 2x35/49/80 DIM	2	N	
	1449	PHILIPS	HF-P xt 180 TL5 EII 220-240	1	N	
	1449	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	N	
	1449	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	N	
	1449	TRIDONIC	PC 1/14-35/49/80 T5 PRO-M lp	1	N	
	1449	b.a.g	BCS35.2FX-11/220-240	1	N	
	ToLEDo SUPERIA T5 HE 4FT 2200LM/2400LM (28W korvaava)	1149	OSRAM	QTi 1x28/54/35/49 GII	1	Y
		1149	OSRAM	QTi 2x28/54/35/49 GII	2	Y
1149		OSRAM	QTP5 1x14-35	1	Y	
1149		OSRAM	QTP5 2x14-35	2	Y	
1149		OSRAM	QT-FIT5 1x14-35	1	Y	
1149		OSRAM	QT-FIT5 2x14-35	2	Y	
1149		PHILIPS	HF-P 1 14-35 TL5 HE III IDC	1	Y	
1149		PHILIPS	HF-P 2 14-35 TL5 HE III IDC	2	Y	
1149		PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y	
1149		TRIDONIC	PC 1x14-35 T5 PRO lp	1	Y	
1149		TRIDONIC	PC 2x14-35 T5 PRO lp	2	Y	
1149		TRIDONIC	PC 1x14-35 T5 TOP lp	1	Y	
1149		TRIDONIC	PC 2x14-35 T5 TOP lp	2	Y	
1149		TRIDONIC	PC 2/14-35/49/54 T5 PRO-M lp	2	Y	
1149		TRIDONIC	PC 1/14-35/49/54 T5 PRO-M lp	1	Y	
1149		TRIDONIC	PC 1/14-35/49/80 T5 PRO-M lp	1	Y	
1149		HELVAR	EL1x14-35ngn5	1	Y	
1149		HELVAR	EL2x14-35ngn5	2	Y	
1149		VOSSLOH SCHWABE	Type Elxc 235.857	2	Y	
1149		eIT	BE-214-35-T5-S	2	Y	
1149		b.a.g	BCS35.1FX-11/220-240	1	Y	
1149		b.a.g	BCS35.2FX-11/220-240	2	Y	
1149		OSRAM	QTz5 1x28/220-240	1	N	
1149		OSRAM	QTz5 2x28/220-240	2	N	
1149		OSRAM	QTi DALI 1x28/54 DIM	1	N	
1149		OSRAM	QTi DALI 2x28/54 DIM	2	N	

## ToLEDo Superia T5

### Electronic ballast compatibility list

Sylvania model	Length (mm)	Ballast Brand	Ballast Model	Lamp Mode	Compatibility (Y or N)
	1149	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	N
	1149	PHILIPS	HF-Pi 1 28/35/49/80 TL5 EII 220-240	1	N
	1149	PHILIPS	HF-Pi 2 28/35/49/80 TL5 EII 220-240	2	N
	1149	TRIDONIC	PC 1x28 T5 TEC Ip	1	N
	1149	TRIDONIC	PC 2x28 T5 TEC Ip	2	N
ToLEDo SUPERIA T5 HO 4FT 3700LM/4000LM (54W korvaava)	1149	OSRAM	QT-FIT 5/8 1x54-58	1	Y
	1149	OSRAM	QTi 1x28/54/35/49 GII	1	Y
	1149	OSRAM	QTi 2x28/54/35/49 GII	2	Y
	1149	OSRAM	QTP-OPTIMAL 1x54-58	1	Y
	1149	PHILIPS	HF-P 154/155 TL5 HO/PL-L III IDC	1	Y
	1149	PHILIPS	HF-P 254/255 TL5 HO/PL-L III IDC	2	Y
	1149	PHILIPS	HF-Pi 1 28/35/49/54 TL5 EII 220-240	1	Y
	1149	PHILIPS	HF-Pi 2 28/35/49/54 TL5 EII 220-240	2	Y
	1149	TRIDONIC	PC 1x54 T5 PRO Ip	1	Y
	1149	TRIDONIC	PC 2x54 T5 PRO Ip	2	Y
	1149	TRIDONIC	PC 1x54 T5 TOP Ip	1	Y
	1149	b.a.g	BCS54.1FR-01/220-240	1	Y
	1149	b.a.g	MLS80.1FR-11/220-240	1	Y
	1149	b.a.g	MLS80.1/54.2FR-11/220-240	1	Y
	1149	b.a.g	MLS80.1/54.2FR-11/220-240	2	Y
	1149	OSRAM	QTi DALI 2x28/54 DIM	2	N
	1149	OSRAM	QTi DALI 1x28/54 DIM	1	N
	1149	OSRAM	QT-FIT 5/8 2x54-58	2	N
	1149	OSRAM	QTP-OPTIMAL 2x54-58	2	N
	1149	PHILIPS	HF-S 154 TL5 II	1	N
1149	PHILIPS	HF-S 254 TL5 II	2	N	
1149	TRIDONIC	PC 2x54 T5 TOP Ip	2	N	